



TEAM TRANSPORT & LOGISTICS

Truck & Trailer Capabilities Guide

www.teamtransport.com.au
email@teamtransport.com.au
ph 1300 138 326



DRIVEN BY SERVICE, POWERED BY TEAMWORK

TEAM TRANSPORT & LOGISTICS TRUCK & TRAILER CAPABILITIES GUIDE



1 TONNE VEHICLE WITH ROOF RACKS

- 2.4m x 1.8m tray
- 1 tonne load capacity
- Double racks: 2.5m - 4.5m
- Triple racks: 5.5m - 6.5m
- Steel products- 100kg maximum on racks
- All other products 150kg Max
- 2 standard pallet spaces



2 TONNE VEHICLE

- 3m x 1.9m - 2.1m wide tray
- 1.5 - 2 tonne load capacity
- 2 standard pallet spaces



4 TONNE VEHICLE

- 3.1m to 6m x 2.4m wide tray
- 3 - 4 tonne load capacity
- Up to 8 standard pallet spaces



6 TONNE VEHICLE

- 5m to 6.5m x 2.4m wide tray
- 5 - 6 tonne load capacity
- 10 standard pallet spaces



8 TONNE VEHICLE

- 6.5m to 8m x 2.4m wide tray
- 7 - 8 tonne load capacity
- 12 standard pallet spaces



TEAM TRANSPORT & LOGISTICS TRUCK & TRAILER CAPABILITIES GUIDE



12 TONNE VEHICLE

7m to 8m x 2.4m wide tray
12 tonne load capacity
12 standard pallet spaces



14 TONNE VEHICLE

9m x 2.4m wide tray
12 tonne load capacity
Up to 14 standard pallet spaces



SEMI-TRAILER

12m to 13.5m x 2.4m wide tray
24 tonne capacity (extendable and
B- double available)
20-22 standard pallet spaces



6 TONNE CRANE VEHICLE

6m to 9m x 2.4m wide tray
5.5 - 6. tonne carrying capacity
1.4 tonne @ 6m lift capacity
(Beside vehicle) 2.2 tonne @ 4m lift capacity
Maximum reach 9m @ 790kg



12 TONNE CRANE VEHICLE

6.5m to 8m x 2.4m wide tray
10.5 tonne carrying capacity
Front or rear-mounted cranes available
(Beside vehicle) 2.5 - 3.3 tonne @ 4m lift capacity
1.9 - 2.1 tonne @ 5.7- 6m lift capacity
1.5 tonne @ 7.5 - 8m lift capacity
1.08 - 1.2 tonne @ 9 - 10m lift capacity



TEAM TRANSPORT & LOGISTICS TRUCK & TRAILER CAPABILITIES GUIDE



SEMI-CRANE VEHICLE

12m x 2.4m wide tray
20 tonne capacity
(with extendable options available)
Maximum reach 11m @ 1 tonne



CRANE TRAILER

13m x 2.4m wide tray
17-20 tonne capacity
5.1-6.6 tonne@4m lift capacity.
3.3-4.3 tonne @6m lift capacity.
2.4-3.2 tonne@8m lift capacity.
1.9-2.4 tonne@10m lift capacity.
1.5-2 tonne@12m lift capacity.
1.6 tonne @14m lift capacity.



HEAVY LIFT CRANE VEHICLE

7.5m – 8m tray
10 tonne capacity
7.1 - 7.4 tonne @ 4 - 4.1m lift capacity
4.8 – 5 tonne @ 6 – 6.1m lift capacity
3.6 – 3.8 tonne @ 8m lift capacity
2.7 tonne @ 10m lift capacity



12 TONNE FORK VEHICLE

7.2m tray
10.5 tonne capacity
12 standard pallet spaces
2.5 tonne max lift
*Allow 3.04m clearance for forklift mast



14 TONNE FORK VEHICLE

8m tray
12.5 tonne capacity
12 standard pallet spaces
2.5 tonne max lift
*Allow 3.04m clearance for forklift mast



TEAM TRANSPORT & LOGISTICS TRUCK & TRAILER CAPABILITIES GUIDE



SEMI-FORK VEHICLE

- 10.5m tray
 - 19 tonne capacity
 - 16 -18 standard pallet spaces
 - 2.5 tonne max lift
- *Allow 3.04m clearance(forklift mast)



DROP DECK TRAILER

- 12m trailer
- (3-4m top deck, bottom deck 8-9m)
- Extendable bottom deck up to 16m
- 900mm to 1.1m deck height



TAUTLINER TRAILER

- 12m to 13.5m trailer
- (B-double combination available)
- 20 -22 standard pallet spaces
- B-double up to 34 pallets 36 tonne



EXTENDABLE TRAILERS

- Standard Extendable up to 21m
- Double Extendable up to 28m



B-DOUBLE TRAILER COMBINATIONS

- Up to 8.5m "A" trailer, 12m "B" trailer
- 36 tonne capacity
- 32 to 34 standard pallet spaces



TEAM TRANSPORT & LOGISTICS TRUCK & TRAILER CAPABILITIES GUIDE



QUAD LOW LOADERS & DOLLY

capacity up to 50t machines
12m bottom deck
20ft and 40 ft container
990mm deck height



CONTAINER SWING LIFT

30 to 33 lifting capacity
24 tonne carrying capacity



CONTAINER B-DOUBLE COMBINATIONS

24.5 tonne capacity per trailer



CONTAINER A-DOUBLE COMBINATIONS

Capacity: 30 tonne per trailer
(2 x 40' or 4 x 20')



SUPER B QUAD SKEL COMBINATIONS

Capacity: 27.5 tonne per trailer



TEAM TRANSPORT & LOGISTICS TRUCK & TRAILER CAPABILITIES GUIDE



B-TRIPLE COMBINATIONS - CAPACITY

Capacity: 48 tonne fully loaded

TILT TRAYS

Various tilt trays of all sizes

These guidelines offer a general overview for the load and lifting capabilities of our fleet. It is important to note that configurations may vary among models.

The specifications in this document are determined under ideal conditions, assuming safe loading and unloading on level ground.

When making a booking, please provide details information about the lifting needs of your job. This will ensure that the most appropriate vehicle is assigned for your specific requirements.



SERVICE GUIDELINES AND EQUIPMENT CAPABILITIES

SERVICE TYPE	PAL QTY	DESCRIPTION & DIMENSIONS
1 Tonne Ute (double racks)	1-2	2.4m long x 1.8m wide x 2m high - Racks 2.5m-4.5m 150kg max (Steel 100kg max)
1 Tonne Ute (triple racks)	1-2	2.4m long x 1.8m wide x 2m high - Racks 4.5m-6.5m 150kg max (Steel 100kg max)
2 Tonne Flat Top	2	3m long x 1.9m-2.1m wide
4 Tonne Flat Top	8	3.1m-6m long x 2.4m wide
6 Tonne Flat Top	10	5m-6.5m x 2.4m wide
8 Tonne Flat Top	12	6.5m - 8m long x 2.4m wide
12 Tonne Flat Top	12	7m - 8m long x 2.4m wide
14 Tonne Flat Top	14	8m-9m long x 2.4m wide
6T Crane Truck	12	5m - 9m long x 2.4m wide - 1400kg lift - max reach 9m @ 790kg
10T Crane Truck	12	6.5m to 8m - 9m x 2.4m wide - Front & Rear-mounted (2.5 - 3.1 tonne @ 4m lift capacity) (1.9 - 2 tonne @ 5.7- 6m lift capacity) (1.4 tonne @ 7.5 - 8m lift capacity) (1 - 1.1 tonne @ 9 - 10m lift capacity)



SERVICE GUIDELINES AND EQUIPMENT CAPABILITIES

SERVICE TYPE	PAL QTY	DESCRIPTION & DIMENSIONS
Semi-Trailer	20	12m-13.5m x 2.4 wide (40' & 45' trailer)
Semi-Extendable	-	<21m x 2.4m
Double Extendable	-	<28m x 2.4m wide
Semi-Crane	20	11m -13.5 x 2.4m wide - max reach 11m @1000kg
Semi-Crane Extendable	-	12m-18m x 2.4m wide - max reach 11m @1000kg
Semi-Tautliner	20-34	12m - 13m x 2.4m wide
Semi-Fork	16-18	<10.5m x 2.4m wide-max lift 2000kg
6-12T Fork Truck	12	6-7.2m x 2.4m wide - max lift 2000kg
14T Fork Truck	12	<7.5m x 2.4m wide - max lift 2000kg
Heavy Lift Crane	12	7m-7.5m tray (7.1-7.4 tonne @4-4.1m lift capacity) (4.8 - 5 tonne @ 6 - 6.1m lift capacity) (3.6 - 3.8 tonne @ 8m lift capacity) (2.9 tonne @ 10m lift capacity)



SERVICE GUIDELINES AND EQUIPMENT CAPABILITIES

SERVICE TYPE	PAL QTY	DESCRIPTION & DIMENSIONS
B- Double	32-34	<8.5m x 2.4m wide 'A' trailer <12m x 2.4m wide 'B' trailer
Tailgate Truck	-	Various sizes
Tilt-Tray <11.5 T	-	Various sizes
Drop Deck Extendable with ramps	-	Various sizes
Low Loader 18	-	17.3m-18.4m x 2.5m- can widen to 3.5m
Low Loader 28	-	17.3m-18.4m x 2.5m- can widen to 3.5m
Low Loader 35	-	17.3m-18.4m x 2.5m- can widen to 3.5m
Low Loader 48	-	17.3m-18.4m x 2.5m- can widen to 3.5m
Low Loader 60	-	17.3m-18.4m x 2.5m- can widen to 3.5m
Franna Crane 18-28T	-	Various sizes

Cranes: please note that the extension measurements start from the cranes position not the beginning of the trailer or load's position

