

TEAM TRANSPORT & LOGISTICS

TRUCK & TRAILER CAPABILITIES GUIDE

www.teamtransport.com.au 34 Iris Place, Acacia Ridge, Queensland, 4110 P.O. Box 233, Acacia Ridge, Queensland, 4110 Phone 1300 138 326 email@teamtransport.com.au A.B.N 16 334 296 903





OUR TEAM | OUR FLEET

TRUCK & TRAILER CAPABILITIES GUIDE



2.4m x 1.8m tray

1 tonne load capacity Double racks: 2.5m - 4.5m Triple racks: 5.5m – 6.5m Steel products: 100kg Max. on double or triple racks All other products 150kg Max 2 standard pallet spaces



2 Tonne vehicle

3m x 1.9m - 2.1m wide tray

1.5 - 2 tonne load capacity

4 standard pallet spaces

4 Tonne vehicle

3.1*m* to 6*m* x 2.4*m* wide tray 3 - 4 tonne load capacity

1 5

Up to 8 standard pallet spaces



6 Tonne vehicle

5*m* to 6.5*m* x 2.4*m* wide tray 5 - 6 tonne load capacity 10 standard pallet spaces

8 Tonne vehicle

6.5m to 8m x 2.4m wide tray7 - 8 tonne load capacity12 standard pallet spaces

12 Tonne vehicle

7m to 8m x 2.4m wide tray 12 tonne load capacity 12 standard pallet spaces

14 Tonne vehicle

9m x 2.4m wide tray 12 tonne load capacity Up to 14 standard pallet spaces









Semi - Trailer

12m to 13m x 2.4m wide tray

24 tonne capacity (extendable and B- double available)

20 standard pallet spaces

6 Tonne crane vehicle

6m to 9m x 2.4m wide tray 5 - 6.5 tonne carrying capacity **1.4 tonne @ 6m lift capacity** (Beside vehicle) 2.2 tonne @ 4m lift capacity Maximum reach 9m @ 790kg

12 Tonne crane vehicle

6.5m to 8m x 2.4m wide tray 10.5 tonne carrying capacity Front or rear-mounted cranes available (Beside vehicle) 2.5 – 3.1 tonne @ 4m lift capacity 1.9 - 2 tonne @ 5.7- 6m lift capacity 1.4 tonne @ 7.5 – 8m lift capacity 1.08 – 1.1 tonne @ 9 – 10m lift capacity

Semi-Crane vehicle

12m x 2.4m wide tray

20 tonne capacity (with extendable options available)

Maximum reach 11m @ 1 tonne









Heavy lift crane vehicle

7.5m – 8m tray 10 tonne capacity 7.1 - 7.4 tonne @ 4 - 4.1m lift capacity 4.8 – 5 tonne @ 6 – 6.1m lift capacity 3.6 – 3.8 tonne @ 8m lift capacity 2.9 tonne @ 10m lift capacity

12 Tonne fork vehicle

7.2m tray 10.5 tonne capacity

12 standard pallet spaces 2 tonne lift

*Allow 3. 04m clearance for forklift mast

14 Tonne fork vehicle

8m tray 12.5 tonne capacity

12 standard pallet spaces 2 tonne lift

*Allow 3. 04m clearance for forklift mast

Semi-fork vehicle

10.5m tray 19 tonne capacity

16 -18 standard pallet spaces 2 tonne lift

*Allow 3. 04m clearance for forklift mast







Drop deck trailer

12m trailer (with extendable options available)

1m to 1.1m trailer height

Tautliners trailer

12m to 13m trailer (B-double combination available)

20 to 34 standard pallet spaces

Extendable trailers

Standard Extendable up to 21m Double Extendable up to 28m

B-double trailer combinations

Up to 8.5m "A" trailer, 12m "B" trailer

36 tonne capacity

32 to 34 standard pallet spaces











Low Loaders & Drop Deck Extendable Trailers with ramps

17.3 to 18.4m decks on low loaders 9.4m – opens to 15.3m on extendable

60 tonne capacity with Dolly

Container swing-lift

30 to 33 lifting capacity 24 tonne carrying capacity



Container B-Double Combinations

24.5 tonne capacity per trailer

Container A-Double Combinations Capacity: 30 tonne per trailer - (2 x 40' or 4 x 20') Super B Quad Skel Combinations Capacity: 27.5 tonne per trailer

B-Triple Combinations – Capacity Capacity: 48 tonne fully loaded

VARIOUS TILT TRAYS AVAILABLE – ALL SIZES

Service Guidelines and Equipment Capabilities

SERVICE TYPE	PAL QTY	DESCRIPTION AND DIMENSIONS
1 Tonne Ute Double Racks	1-2	2.4m long x 1.8m wide x 2m high - Racks 2.5m-4.5m 150kg max
		(Steel 100kg max)
1 Tonne Ute Triple Racks	1-2	2.4m long x 1.8m wide x 2m high - Racks 4.5m-6.5m 150kg max
	2	(Steel 100kg max)
2 Tonne Flat Top	2	3m long x 1.9m-2.1m wide
4 Tonne Flat Top	8	3.1m-6m long x 2.4m wide
6 Tonne Flat Top	10	5m-6.5m x 2.4m wide
8 Tonne Flat Top	12	6.5m - 8m long x 2.4m wide
12 Tonne Flat Top	12	7m - 8m long x 2.4m wide
14 Tonne Flat Top	14	8m - 9m long x 2.4m wide
6T Crane Truck	12	5m - 9m long x 2.4m wide - 1400kg lift - max reach 9m @ 790kg
10-12T Crane Truck	12	6.5m to 8m - 9m x 2.4m wide - Front & Rear-mounted (2.5 – 3.1 tonne @ 4m lift capacity) (1.9 - 2 tonne @ 5.7- 6m lift capacity) (1.4 tonne @ 7.5 – 8m lift capacity) (1 – 1.1 tonne @ 9 – 10m lift capacity)
Semi-Trailer	20	12m - 13.5m x 2.4m wide (40' & 45' trailers)
Semi-Extendable		< 21 metres x 2.4m
Double Extendable		< 28 metres x 2.4m wide
Semi-Crane	20	11m - 13.5 x 2.4m wide - max reach 11m @ 1000kg
Semi-Crane Extendable		12m - 18m x 2.4m wide - max reach 11m @ 1000kg
Semi-Tautliner	20-34	12m - 13m x 2.4m wide
Semi-Fork	16-18	<10.5 metres x 2.4m wide - max lift 2000kg
6-12T Fork Truck	12	6 – 7.2 metres x 2.4m wide - max lift 2000kg
14T Fork Truck	12	< 7.5 metres x 2.4m wide - max lift 2000kg
Heavy Lift Crane Truck	12	7m – 7.5m tray - (7.1 - 7.4 tonne @ 4 - 4.1m lift capacity) (4.8 – 5 tonne @ 6 – 6.1m lift capacity) (3.6 – 3.8 tonne @ 8m lift capacity) (2.9 tonne @ 10m lift capacity)
B-Double	32-34	<8.5m x 2.4m wide 'A' trailer <12m x 2.4m wide 'B' trailer
Tailgate Truck		Various Sizes
Tilt Tray <11.5 T		Various Sizes
Drop Deck Extendable with ramps		Various Sizes
Low Loader 18		17.3m - 18.4m x 2.5m - can widen to 3.5m
Low Loader 28		17.3m - 18.4m x 2.5m - can widen to 3.5m
Low Loader 35		17.3m - 18.4m x 2.5m - can widen to 3.5m
Low Loader 48		17.3m - 18.4m x 2.5m - can widen to 3.5m
Low Loader 60		17.3m - 18.4m x 2.5m - can widen to 3.5m
Franna Crane 18-28 tonne		Various Sizes
Cranes: Please note th	at the exten	sion measurements start from the cranes position not the

Cranes: Please note that the extension measurements start from the cranes position not the beginning of the trailer or load's position.

Wharf/Container Services, AQIS, Pallet Rates, KM/Distance rates for all vehicles and areas, Specialised vehicles such as prime mover cranes etc, Line-haul/highway work, Hot shots, Trailer hire, 3PL warehousing, short- and long-term warehousing, Weed Hygiene and declaration services including full wash-down services, Special Projects Australia Wide.

PLEASE REQUEST OTHER SERVICES & EQUIPMENT DETAILS AT tariff@teamtransport.com.au



These guidelines serve as a general guide for the load and lifting capabilities of our fleet. Configurations may vary across models. The following provisions have been calculated based on 'perfect circumstances' where the vehicles are able to load/unload safely on level ground. Full details should be provided regarding the job's lifting requirements when placing a booking to ensure the most suitable vehicle is provided for your job. July 2023